



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

At Honolulu during the same week 166 rats were examined. No plague infection was found.

The last case of human plague occurred at Pepeekeo, Hawaii, September 13, 1912. The last plague-infected rat was found at Olaa, Hawaii, September 9, 1912.

INDIA.

Calcutta—Cholera and Plague.

Dr. A. S. Allan, surgeon to the American consulate, reports as follows relative to cholera and plague: *Calcutta*—week ended August 10, 1912, cholera 27 deaths, plague 5 deaths; week ended August 17, 1912, cholera 10 deaths, plague 7 deaths; week ended August 24, 1912, cholera 15 deaths, plague 6 deaths; week ended August 31, 1912, cholera 11 deaths, plague 1 death. *Bengal*—week ended August 10, 1912, plague 5 cases 5 deaths; week ended August 17, 1912, plague 7 cases 7 deaths; week ended August 24, 1912, 6 cases 6 deaths; week ended August 31, 1912, 1 case 1 death. *All India*—week ended August 10, 1912, plague 613 cases 445 deaths; week ended August 17, 1912, plague 747 cases, deaths 514; week ended August 24, 1912, plague 989 cases 743 deaths; week ended August 31, 1912, 895 cases 630 deaths.

ITALY.

Examination of Emigrants.

Passed Asst. Surg. Robinson at Naples reports:

Vessels inspected at Naples, Messina, and Palermo week ended Sept. 28, 1912.

NAPLES.

Date.	Name of ship.	Destination.	Steerage passengers inspected and passed.	Pieces of baggage inspected and passed.	Pieces of baggage disinfected.
Sept. 25	Ancona.....	Philadelphia.....	1,344	230	2,150
26	San Giorgio.....	New York.....			
27	Prinzess Irene.....	do.....	1,311	190	1,780
28	Amelia.....	do.....			
	Total.....		2,655	420	3,930

MESSINA.

Sept. 27	San Giorgio.....	New York.....	158	269	228
----------	------------------	---------------	-----	-----	-----

PALERMO.

Sept. 23	Virginia.....	New York.....			
26	Ancona.....	Philadelphia.....	522	300	350
28	San Giorgio.....	New York.....	488	400	350
	Total.....		1,010	700	700

Vessels inspected at Naples and Palermo week ended Oct. 5, 1912.

NAPLES.

Date.	Name of ship.	Destination.	Steerage passengers inspected and passed.	Pieces of baggage inspected and passed.	Pieces of baggage disinfected.
Sept. 29	San Giorgio.....	New York.....	823	90	1,050
Oct. 1	Cretic.....	Boston.....	1,154	230	1,890
1	Venezia.....	New York.....	822	140	1,150
2	Carpathia.....	do.....			
4	Perugia.....	do.....	166	25	230
4	Principe di Piemonte.....	do.....	785	110	980
4	Taormina.....	Philadelphia.....	1,195	260	1,750
	Total.....		4,945	855	7,050

PALERMO.

Oct. 2	Argentina.....	New York.....			
5	Perugia.....	do.....	300	150	200
5	Taormina.....	Philadelphia.....	645	400	600
6	Principe di Piemonte.....	New York.....	525	250	300
	Total.....		1,470	800	1,100

Typhus Fever.

During the week ended September 28, 1912, typhus fever was reported in Italy as follows: Catania, 5 deaths; Leghorn, 4 deaths; Messina, 1 death; Palermo, 1 death.

JAPAN.

Status of Cholera.

Acting Asst. Surg. Moore, at Kobe, reports September 27: During the week ended September 27, 1912, there were reported at Kobe 8 cases of cholera with 4 deaths.

Cholera is now epidemic in 14 prefectures in Japan, 729 cases being reported present. The disease is widely scattered and not only extends for more than 500 miles along the coast but has appeared in widely separated and remote places in the interior of the country. The prefectures reported infected are as follows: Fukuoka, Nagasaki, Yamaguchi, Oita, Tokyo, Kagoshima, Osaka, Ehime, Hyogo (Kobe), Kanagawa, Kumamoto, Kyto, Hiroshima, and Okayama. The disease has shown great virulence in Fukuoka and Yamaguchi, where several hundred deaths have occurred.

At Tokyo 24 cases of cholera occurred from September 24 to 30. The cases occurred in widely separated parts of the city. Many appeared simultaneously and the date of the occurrence of the first case has not been ascertained. On October 2 there were reported 4 new cases.

At Yokohama 4 cases of cholera were reported present October 2, 1912.